[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

S.No.	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
1	[illegible]	[illegible]	
2	[illegible]	[illegible]	
3	[illegible]	[illegible]	
4	[illegible]	[illegible]	
5	[illegible]	[illegible]	
6	[illegible]	[illegible]	
7	[illegible]	[illegible]	
8	[illegible]	[illegible]	
9	[illegible]	[illegible]	
10	[illegible]	[illegible]	
11	[illegible]	[illegible]	
12	[illegible]	[illegible]	

[illegible]

[illegible]

[illegible]

S.No.	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
1	[illegible]	[illegible]	
2	[illegible]	[illegible]	
3	[illegible]	[illegible]	
4	[illegible]	[illegible]	
5	[illegible]	[illegible]	
6	[illegible]	[illegible]	
7	[illegible]	[illegible]	
8	[illegible]	[illegible]	
9	[illegible]	[illegible]	
10	[illegible]	[illegible]	
11	[illegible]	[illegible]	
12	[illegible]	[illegible]	

[illegible]

[illegible]

Technical Specifications of Spring Scale Contractor

S.N.	Description	Specifications	Offered
4	Common Specifications	The spring scale will be a type which is suitable for weighing of [illegible] approximately [illegible]	Offered Offered Offered Confirmed Confirmed with [illegible]
5	Type	Wide [illegible] [illegible] spring	
6	Power Source	Battery AA Sprocket	
7	No. of Cells	At least 3	
8	Working Voltage(V)	[illegible]	
9	Operating Temperature	[illegible]	
10	Operating Humidity	[illegible]	
11	Weight	[illegible] spring [illegible]	

Note: Figures including T.V.S. are approximate values.
Note: [illegible]

Technical Specifications of Non-Spring Scale Contractor

S.N.	Description	Specifications	Offered
4	Common Specifications	The spring scale will be a type which is suitable for weighing of [illegible] approximately [illegible]	Offered Offered Offered Confirmed with [illegible]
5	Power Source	Battery AA Sprocket	
6	Type	Non-spring Scale	
7	Capacity	[illegible]	
8	Minimum Scale	[illegible]	
9	No. of Scales	4	
10	No. of Sprocket	4	
11	Type of Sprocket	[illegible]	
12	Sprocket	[illegible]	
13	Scale Scale	[illegible]	
14	Minimum Scale	[illegible]	
15	Scale Height	[illegible]	
16	Scale Length	[illegible]	
17	Scale Power	Minimum [illegible]	
18	Operating Temperature	[illegible]	
19	Operating Humidity	[illegible]	
20	Operating Voltage	[illegible]	

Note: Figures including T.V.S. are approximate values.
Note: [illegible]

Technical Specifications of [illegible]

S.N.	Description	Specifications	Offered by Bidder
		[illegible]	
		[illegible]	
		[illegible]	

Transmission Installation of Cross Arm(s) Mounted

S.N	Description	Specification	Unit
4	Transmission Installation	Fix single Transmission Cross Arm on single/multi circuit Transmission tower including all fittings as mentioned in DOC	Each

1	Cross Arm (CA) material	Galvanized MS Angle
2	Bolts/ Nuts/ Washers	Galvanized MS
3	Size, Type	As per Drawing
4	Weight (kg/unit)	As per Drawing
5	Tower type (suspension/ tension/ angle/ dead end)	Suspension
6	Weight (kg)	[illegible]
7	Bolts/Nut/Pin	[illegible]
8	Miscellaneous (Lock)	[illegible]
9	Remarks	Fix Cross Arm(s) on Tower

Note: Figures in brackets (kg/ Unit) are approximate values.

Insulator Installation on Cross Arm(s)

S.N	Description	Specification	Unit
4	Insulator installation	Fix single/ multi Insulator string on single/ multi circuit Transmission tower including all fittings as mentioned in DOC	Each

1	Type of Insulator	Glass Insulator (Ball & Socket)
2	Insulator material	Toughened Glass
3	Size, Type	As per Drawing
4	Unit Weight (kg)	As per Drawing
5	Tower type (suspension/ tension/ angle/ dead end)	Suspension
6	Weight (kg)	[illegible]
7	Bolts/ Nut/ Pin	[illegible]
8	Miscellaneous (Lock)	[illegible]
9	Remarks	Fix Insulator on Cross Arm(s) of tower (suspension)

Note: Figures in brackets (kg/ Unit) are approximate values.

Note: [illegible]

Indonesian Trade Intensity (%) Y-o-Y (Table 1 Exports)

Sl.No	Description	Specification	Unit
0	General conditions	The Public Disclosure Account for negative or deteriorating or variation of terms	Months Months Months Months Months Contract of origin
1	Engine Drive method	Steam internal (TPCC)	
2	Power output	Steam 10 TPH	
3	Gas Type	Coal gas (Mixed)	
4	Fuel Consumed	Coal (TPCC)	
5	Weight Capacity	2500	
6	Quality		
7	Rotor diameter	10	
8	Rotor speed	Steam (1500 RPM)	
9	Warranty	One year of from date of supply	

Note: In Figure considering V.A.T for applicable items

Note: In USD

Transport Classification of Charging Number

Sl.No	Description	Specification	Unit
0	General conditions	The Public Disclosure Account for negative or deteriorating or variation of terms	Months Months Months Months Months Contract of origin
1	Engine Drive method	Steam internal (TPCC)	
2	Power output	Steam 10 TPH	
3	Gas Type	Coal gas (Mixed)	
4	Fuel Consumed	Coal (TPCC)	
5	Weight Capacity	2500	
6	Quality		
7	Rotor diameter	10	
8	Rotor speed	Steam (1500 RPM)	
9	Warranty	One year of from date of supply	

Note: In Figure considering V.A.T for applicable items

Note: In USD

Technical Specifications of Power Mini

S.N.	Instrument	Utility Requirements	Offered by Bidder
1	Camera(s)	Power: [illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	
		[illegible]	
2	Scopes	[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
3	Footlin Cart	[illegible]	
4	Illuminator (optional)	[illegible]	
	Black [illegible]		
5	Footlin [illegible]	[illegible]	
6	Tools	[illegible]	
7	Manufacturer	[illegible]	
		[illegible]	
8	User manual	[illegible]	
		[illegible]	
9	Stage		
10	Wiring order	[illegible]	
11	Year built	[illegible]	
12	Brain [illegible]	[illegible]	
13	Warranty	[illegible]	
14	Recommendation	[illegible]	
	Warranty	[illegible]	

(Note: [illegible] Signature of Bidder)

(Name of [illegible])



Table 1. Representative Electrical Ceramic Capacitor

Sl.No	Description	Unit (Number)	Price (Rs.)
1	[illegible]	[illegible]	[illegible]
2	Ceramic capacitor	Value of Rs. [illegible] in capacitor of [illegible] Farads in [illegible] in [illegible] [illegible]	[illegible] [illegible] [illegible] [illegible] [illegible]
3	[illegible]	[illegible]	[illegible]
4	Cermet	[illegible]	[illegible]
5	[illegible]	[illegible]	[illegible]
6	[illegible]	[illegible]	[illegible]
7	[illegible]	[illegible]	[illegible]
8	[illegible]	[illegible]	[illegible]
9	[illegible]	[illegible]	[illegible]
10	[illegible]	[illegible]	[illegible]
11	[illegible]	[illegible]	[illegible]
12	[illegible]	[illegible]	[illegible]
13	[illegible]	[illegible]	[illegible]
14	[illegible]	[illegible]	[illegible]
15	[illegible]	[illegible]	[illegible]
16	[illegible]	[illegible]	[illegible]
17	[illegible]	[illegible]	[illegible]
18	[illegible]	[illegible]	[illegible]
19	[illegible]	[illegible]	[illegible]
20	[illegible]	[illegible]	[illegible]
21	[illegible]	[illegible]	[illegible]
22	[illegible]	[illegible]	[illegible]
23	[illegible]	[illegible]	[illegible]
24	[illegible]	[illegible]	[illegible]
25	[illegible]	[illegible]	[illegible]
26	[illegible]	[illegible]	[illegible]
27	[illegible]	[illegible]	[illegible]
28	[illegible]	[illegible]	[illegible]
29	[illegible]	[illegible]	[illegible]
30	[illegible]	[illegible]	[illegible]

Table 2. Figure is corresponding 1 to 10 for [illegible] [illegible]

Table 3. [illegible]

Technical Specifications of Blue Glass

S.N.	Description	After Inspection	Collected by Manufacturer
A	General	[illegible]	[illegible]
B	Angular	[illegible]	[illegible]
1	Cut to Size	[illegible]	
2	Dimensional tolerance	[illegible]	
3	Squareness	[illegible]	
4	Edges of	[illegible]	
5	Surface quality	[illegible]	
6	Transmittance	[illegible]	
7	Edge finishing	[illegible]	
8	Glass film	[illegible]	
9	Crack in glass	[illegible]	
10	Contamination (black)	[illegible]	
C	Other		
1	Packing crate	[illegible]	
2	Wooden frame/crate	[illegible]	
3	Marking	[illegible]	
4	Packing in crate or	[illegible]	

Remarks: [illegible]

Remarks: [illegible]

Technical Specifications of Clear Glass

S.N.	Description	After Inspection	Collected by Manufacturer
A	General	[illegible]	[illegible]
B	Angular	[illegible]	[illegible]
1	Cut to Size	[illegible]	
2	Dimensional tolerance	[illegible]	
3	Squareness	[illegible]	
4	Edges of	[illegible]	
5	Surface quality	[illegible]	
6	Transmittance	[illegible]	
7	Edge finishing	[illegible]	
8	Glass film	[illegible]	
9	Crack in glass	[illegible]	
10	Contamination (black)	[illegible]	
C	Other		
1	Packing crate	[illegible]	
2	Wooden frame/crate	[illegible]	
3	Marking	[illegible]	
4	Packing in crate or	[illegible]	

Remarks: [illegible]

Remarks: [illegible]

Technical Specifications of Rural Image Adjust Lab (Rs. [illegible])

S.No.	Description	Specifications	Offered
		[illegible]	[illegible]
		[illegible]	[illegible]
2	[illegible]	[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
3	[illegible]	[illegible]	[illegible]
		[illegible]	
5	[illegible]	[illegible]	
6	[illegible]	[illegible]	
7	[illegible]	[illegible]	
8	[illegible]	[illegible]	
9	[illegible]	[illegible]	

[illegible]

[illegible]

Technical Specifications of [illegible] Image Analyzer

S.No.	Description	Specifications	Offered
1	[illegible]	[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
2	[illegible]	[illegible]	
3	[illegible]	[illegible]	
4	[illegible]	[illegible]	
5	[illegible]	[illegible]	
6	[illegible]	[illegible]	
7	[illegible]	[illegible]	
8	[illegible]	[illegible]	
9	[illegible]	[illegible]	
10	[illegible]	[illegible]	
11	[illegible]	[illegible]	
12	[illegible]	[illegible]	
13	[illegible]	[illegible]	
14	[illegible]	[illegible]	
15	[illegible]	[illegible]	
16	[illegible]	[illegible]	
17	[illegible]	[illegible]	
18	[illegible]	[illegible]	
19	[illegible]	[illegible]	
20	[illegible]	[illegible]	

[illegible]

[illegible] Supplementary of Intergrated Gauges

[illegible]	Description	Specifications	Offered
[illegible]	[illegible]	[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
			[illegible]
			[illegible]
2	[illegible]	[illegible]	
3	[illegible]	[illegible]	
		[illegible]	
4	[illegible]	[illegible]	
5	[illegible]	[illegible]	
6	[illegible]	[illegible]	
7	[illegible]	[illegible]	
8	[illegible]	[illegible]	
9	[illegible]	[illegible]	
10	[illegible]	[illegible]	
11	[illegible]	[illegible]	
	[illegible]	[illegible]	
	[illegible]	[illegible]	

[illegible] Technical Specifications of Intergrated Gauges

[illegible]	Description	Specifications	Offered
		[illegible]	[illegible]
8	[illegible]	[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
	[illegible]	[illegible]	
1	[illegible]	[illegible]	
2	[illegible]	[illegible]	
3	[illegible]	[illegible]	
4	[illegible]	[illegible]	
5	[illegible]	[illegible]	
6	[illegible]	[illegible]	
7	[illegible]	[illegible]	
8	[illegible]	[illegible]	
9	[illegible]	[illegible]	
10	[illegible]	[illegible]	
11	[illegible]	[illegible]	
12	[illegible]	[illegible]	
13	[illegible]	[illegible]	
14	[illegible]	[illegible]	
15	[illegible]	[illegible]	
16	[illegible]	[illegible]	
		[illegible]	
		[illegible]	
		[illegible]	
17	[illegible]	[illegible]	
18	[illegible]	[illegible]	
	[illegible]	[illegible]	
	[illegible]	[illegible]	

[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]

Evaluation Specification of Electric Heater Quantities

S.N	Description	Specification	Offered
6	Coverage Specification	[illegible]	[illegible]
7	Net of Heater	[illegible]	
8	Height of Load Heater	[illegible]	
9	Size of BCC mounting	[illegible]	
10	No. of Fins	[illegible]	
11	Diameter of Heater	[illegible]	
12	Diameter of fins	[illegible]	
13	Mounting Bolt	[illegible]	
14	Diameter of Cabinet	[illegible]	
15	Type of Terminal Block	[illegible]	
16	Material Construction	[illegible]	
17	Heater Load	[illegible]	
18	Cable length	[illegible]	

Note: In Figure (indicating N.A.T. for applicable items)
Note: In words.

Technical Specification of Cooling Fan

S.N	Description	Specification	Offered
6	Coverage Specification	[illegible]	[illegible]
7	Capacity	[illegible]	
8	Temperature	[illegible]	
9	Voltage	[illegible]	
10	Frequency	[illegible]	
11	Phase	[illegible]	
12	Dimensions	[illegible]	
13	Fan Efficiency	[illegible]	
14	No. of Blades	[illegible]	
15	Air Flow Capacity	[illegible]	
16	Cable	[illegible]	
17	Material of Construction	[illegible]	

Note: In Figure (indicating N.A.T. for applicable items)
Note: In words.

Yoshikiba Type Microbar of Gravity Dyke series

[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]

[illegible]

[illegible]

Technical Specifications of Overall Bank series

[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]

[illegible]

[illegible]

Lot	Description	Estimate
1	[illegible]	[illegible]
2	[illegible]	[illegible]
3	[illegible]	[illegible]
4	[illegible]	[illegible]
5	[illegible]	[illegible]

		Embossed Smooth Stainless Steel
3.8	Dimensions	Specifications
		[illegible]
		[illegible]
4	Channel Capacitance	[illegible]
		[illegible]
		[illegible]
		[illegible]
5	Power Source	[illegible]
6	Nominal Power	[illegible]
7	Mounting Frame Material	[illegible]
8	Colour	[illegible]
9	Power Input	[illegible]
		[illegible]
10	[illegible] Input	[illegible]
11	[illegible]	[illegible]
	[illegible]	
12	[illegible]	[illegible]
	[illegible]	
13	[illegible]	[illegible]
14	[illegible]	[illegible]
15	[illegible]	[illegible]
16	[illegible]	[illegible]
17	[illegible]	[illegible]
18	[illegible]	[illegible]
19	[illegible]	[illegible]
20	[illegible]	[illegible]
	[illegible]	

[illegible]

Technical Specifications of 3 Axis Vertical Machining Centre

S.No	Description	Specifications	Offered
		Movement in vertical axis (Z-axis)	[illegible]
4	General Specifications	Max. [illegible] for spindle on X-axis	[illegible]
		[illegible] weight [illegible]	[illegible]
		[illegible]	[illegible]
5	Travel Values	[illegible]	
6	Speed/Power	[illegible]	
7	Collet	[illegible]	
8	Slide ways	[illegible]	
9	Capacity	[illegible]	
10	Motors	[illegible]	
11	Tool Magazine	[illegible]	
12	Coolant Unit	[illegible]	

Date of Opening Technical Bid: [illegible]

Place of receipt:

Technical Specifications of Tool Presetting Facility

S.No	Description	Specifications	Offered
4	General Specifications	[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		Resolution [illegible]	
5	Measuring Unit	[illegible]	
6	Accuracy	[illegible]	
7	Tool Cone Size	[illegible]	
8	Cone Grip	[illegible]	
9		[illegible]	
10		[illegible]	
11		[illegible]	
12	Software	[illegible]	
13		[illegible]	
14		[illegible]	
15		[illegible]	
16		[illegible]	
17	Certificates	[illegible]	
		[illegible]	

Date of Opening Technical Bid: [illegible]

Place of receipt:

Technical Specifications (Cycle Rickshaw) (Lot-wise)

S.No.	Technical Specifications	Specifications	Offered
1	General Specifications	[illegible]	[illegible]
2	Voltage	[illegible]	
3	Weight	[illegible]	
4	Production	[illegible]	
5	Rated Power	[illegible]	
6	Controller Rated	[illegible]	
7	Motor Type	[illegible]	
8	Charging	[illegible]	
9	Embedded	[illegible]	
10	Overall Performance	[illegible]	
11	Lights	[illegible]	
12	Safety Features	[illegible]	
13	Warranty Period	[illegible]	

Note: Figures (including VAT) for equipment in [illegible]
Bidder to Fill

Technical Specifications of Four Seater

S.No.	Parameters	Specifications	Offered
		[illegible]	
1	General Specifications	[illegible]	
2	Voltage	[illegible]	
3	Weight	[illegible]	
4	Production	[illegible]	
5	Rated Power	[illegible]	
6	Controller Rated	[illegible]	
7	Motor Type	[illegible]	
8	Charging	[illegible]	
9	Embedded	[illegible]	
10	Overall Performance	[illegible]	
11	Lights	[illegible]	
12	Safety Features	[illegible]	
13	Warranty Period	[illegible]	

[illegible]	Place	[illegible]
[illegible]	Clearance	[illegible]
[illegible]	Wheel Speed	[illegible]
[illegible]	Voltage	[illegible]
[illegible]	Engine Torque	[illegible]
	Note	
[illegible]	Video	[illegible]

Note: [illegible] for applicable items.

Note: [illegible]

Extended Specification of Cases

[illegible]	Transmission Engine Unit	Reason of Specifications	Offered Specifications
[illegible]	Cases in [illegible]	[illegible] case in case for [illegible] [illegible] [illegible]	[illegible]
[illegible]	Specifications	[illegible] of Engine Units [illegible]	[illegible]
[illegible]	Complete Unit		
	Type		
	Color	[illegible]	
	Cases in	[illegible]	
	Model	[illegible]	
	Type	[illegible]	
	Area	[illegible]	
	Weight	[illegible]	

Note: [illegible] for applicable items.

Note: [illegible]

[illegible]	Seat Foundation	
	Type	
	Color	[illegible]
	Capacity	[illegible]
	Color	[illegible]
	Model	[illegible]
	Area	[illegible]
	Weight	[illegible]

Note: [illegible] for applicable items.

Note: [illegible]

Technical Specifications of Diesel Power Pumps (etc)

S.N.	Description	Specifications	Different
1.	Generic Equipment	The pump should be capable of attending LPG leaks by mechanical means.	Make/ Model/ Country of origin/ Country of origin
2.	Suction Hose	2.5" Dia x 5 mtr long	
3.	Engine	5 stroke Diesel engine	
4.	Cooling	Liquid	
5.	Capacity (L/min)	200 lit/min	
6.	Fuel Tank	6.5 Litre	
7.	Flight Endurance	1200 cycle hours	
8.	Spark Plug	8000 DIN Type	
9.	Engine Protection	Thermometer	
10.	Discharge	0.5 kg/cm sq	
11.	Suction Head	10 ft minimum	
12.	Starting	Electric starter	
13.	Pump Operation Time	Max 1 min (for pump operation)	
14.	Air Fan	75 CFM	
15.	Generator Frame	Engine mount	
16.	Inlet	2.5" x 2 inlet [illegible]	

Note: Equipment including P.O.V kit applicable for sector (Rural/urban)

Technical Specifications of Portable Pump Set

S.N.	Description	Specifications	Different
1.	Generic Equipment	The pump should be capable of attending to [illegible] operation of pump set	Make/ Model/ Country of origin/ Country of origin
2.	Suction Hose	5 inch Dia x 5 mtr long	
3.	Engine	Diesel Engine	
4.	Fuel Tank	[illegible]	
5.	Rated Speed	[illegible]	
6.	Cooling	Air	
7.	Starting Fuel	[illegible]	

8	[illegible]	[illegible]
9	[illegible]	[illegible]
10	[illegible]	[illegible]

Note: [illegible]

[illegible]

[illegible] Specifications of [illegible] (Year [illegible])

[illegible]	[illegible]	Specifications	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
1	[illegible]	[illegible]	
2	[illegible]	[illegible]	
3	[illegible]	[illegible]	
4	[illegible]	[illegible]	
5	[illegible]	[illegible]	
6	[illegible]	[illegible]	
7	[illegible]	[illegible]	
8	[illegible]	[illegible]	
9	[illegible]	[illegible]	
10	[illegible]	[illegible]	

Note: [illegible]

[illegible]

[illegible] Specifications of [illegible] (Year [illegible])

[illegible]	[illegible]	Specifications	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
1	[illegible]	[illegible]	
2	[illegible]	[illegible]	
3	[illegible]	[illegible]	
4	[illegible]	[illegible]	
5	[illegible]	[illegible]	

[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]

Note to Figure Underlying [illegible] [illegible]

Note to [illegible]

Technical Specifications of Little Pump [illegible]

[illegible]	Technical Parameter	Required Specification	Proposed Specification
[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	

Note to Figure Underlying [illegible] [illegible]

Note to [illegible]

		[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]

1.	Minimum Fuel Cost	5.707 $/h (Cost/h) [illegible]
2.	Number of Transmission	1 (No) [illegible]
3.	Signal	[illegible]
4.	Energy	[illegible]
5.	Voltage	[illegible]
6.	Bandwidth (Low)	[illegible]
7.	Bandwidth (Upper)	[illegible]
8.	Design [illegible]	[illegible]
9.	Design Speed	[illegible]
10.	Frequency	[illegible]
11.	Power Output	[illegible]
12.	Voltage	[illegible]
13.	Resistance	[illegible]
14.	[illegible]	[illegible]
15.	[illegible]	[illegible]
16.	Output	[illegible]

Table 4.1: Fuel cost minimization [illegible] for specification [illegible] Reference [illegible]

Table 4.2: Technical Specification of Turning Bar [illegible]

S.N	Description	Specifications	Offered Model
1.	[illegible]	[illegible]	[illegible]
2.	[illegible]	[illegible]	[illegible]
3.	[illegible]	[illegible]	[illegible]
4.	[illegible]	[illegible]	[illegible]
5.	[illegible]	[illegible]	[illegible]
6.	[illegible]	[illegible]	[illegible]
7.	[illegible]	[illegible]	[illegible]
8.	[illegible]	[illegible]	[illegible]
9.	[illegible]	[illegible]	[illegible]
10.	[illegible]	[illegible]	[illegible]
11.	[illegible]	[illegible]	[illegible]
12.	[illegible]	[illegible]	[illegible]
13.	[illegible]	[illegible]	[illegible]
14.	[illegible]	[illegible]	[illegible]
15.	[illegible]	[illegible]	[illegible]
16.	[illegible]	[illegible]	[illegible]

Table 4.3: Fuel [illegible] for specification [illegible] Reference [illegible]

Technical Specifications & gift quote:

Item	Description	Specifications	Unit price
8	External implements	[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
		[illegible]	[illegible]
7	[illegible]		
	Usage:	[illegible]	
	Procedure:	[illegible]	
	Necessity:	[illegible]	
	Supplies:	[illegible]	
	Requirement:	[illegible]	
	Implementation:		
	Offerings:	[illegible]	
8	[illegible]		
	Usage:	[illegible]	
	Necessity:	[illegible]	
	Accessories:	[illegible]	
9	Development		
	Usage:	[illegible]	
		[illegible]	
		[illegible]	
		[illegible]	
		[illegible]	
		[illegible]	
		[illegible]	
	Specifications:	[illegible]	
	Necessity:	[illegible]	
	Requirement:	[illegible]	
	Implementation:		
	Offerings:	[illegible]	
	Individual Expense:	[illegible]	
10	[illegible]		
	Usage:	[illegible]	
	Offerings:	[illegible]	
11	Accessories		
	Usage:	[illegible]	
12	Specifications	[illegible]	

(Individual Expense)

[illegible]

[illegible]